

CHP620

6" 2-way ceiling light 100 V / 8 Ohms ABS 10/20 W

- 2-way system
- Clear sound
- Simple, elegant design
- Easy installation

SKU: H9757
Categories: Ceiling speakers, Speakers

FEATURES

– 2-way speaker
– RMS power: 20 W
– Max power: 30 W
– Available powers: 20 W or 10 W
– 100 V
– Tweeter: 25 mm (1.5 inches)
– Boomer: 165 mm (6.5 inch)
– Frequency response: 85 Hz – 18 kHz
– Sensitivity >98 dB
– SPL max (@1m): 111 dB
– Nominal coverage: ~120° (at 1 kHz)
– Mounting: 4 screw-on brackets
– External dimensions (diameter and depth): 233 x 118 mm
– Hole diameter: 200 mm
– Net weight: 1.7 kg

USER MANUALS

Guide de l'utilisateur

⬇ Guide de l'utilisateur

User guide

⬇ User guide

Gebruikershandleiding

⬇ Gebruikershandleiding

Benutzerhandbuch

⬇ Benutzerhandbuch

Guía del usuario

⬇ Guía del usuario

DRILLING JIG

Template




CE CERTIFICATE

Declaration of conformity

⬇ Français / English




200 mm
118 mm
10 mm
233 mm