

EXT208

IP65 coaxial 8 + 1 inch 150 W/100 V and 200 W/8 Ohms loudspeaker

- Compact, medium-range coaxial system
- IP65 with a minimum downward tilt of 5°
- 100 V or 8 Ohms operation

SKU: H11363
Categories: Sound projectors, Speakers
Tags: IP65

FEATURES

– Power: 200W RMS – 400W max at 8 Ohms 37.5/75/150 W at 100 V
– Boomer: 8-inch 2-inch coil
– Tweeter: 1 x 1-inch 1.4-inch coil
– Dispersion: 90° x 90° (HxV)
– Frequency response 80 – 18,000Hz
– SPL: 118 dB continuous, 124 dB max / 8 Ohms
– Connectors: Internal terminal block with cable glands
– Aluminum grille, stainless steel screws
– Dimensions: 300 x 302 x 345 mm
– Net weight: 11 kg

SPL (significant values)
– 1 m : 124 dB
– 5 m : 110 dB
– 7 m : 107 dB
– 10 m : 104 dB
– 15 m : 100 dB
– 20 m : 98 dB
– 30 m : 94 dB

USER MANUALS

Guide de l'utilisateur / User guide

⬇ Guide de l'utilisateur / User guide

Gebruikershandleiding

⬇ Gebruikershandleiding

Benutzerhandbuch

⬇ Benutzerhandbuch

Guía del usuario

⬇ Guía del usuario

DOWNLOADS

Aio presets

EXT speaker presets for Aio matrices (low impedance and 100 V) — ZIP.

⬇ Aio presets

EASE FILE



– Compatible with EASE 5 and EASE Focus 3

->.gll file

CE CERTIFICATE

Declaration of conformity

⬇ Français / English







