

EXT312

IP65 coaxial 12 + 1 inch 200 W/100 V and 300 W/8 Ohms loudspeaker

- Compact, medium-range coaxial system
- IP65 with a minimum downward tilt of 5°
- 100 V or 8 Ohms operation

SKU: H11364
Categories: Speakers, Sound projectors
Tags: IP65

FEATURES

– Power: 300W RMS – 600W max into 8 Ohms 50/100/200W into 100V
– Boomer: 12 inch 3 inch coil
– Tweeter: 1 x 1 inch 1.7 inch coil
– Dispersion: 80° x 80° (HxV)
– Frequency response 55 – 18,000Hz
– SPL : 123 dB continuous, 129 dB max / 8 Ohms
– Connectors: Internal terminal block with cable glands
– Aluminum grille, stainless steel screws
– Dimensions: 407 x 410 x 448 mm
– Net weight: 20 kg

SPL (significant values)
– 1 m : 129 dB
– 5 m : 115 dB
– 7 m : 112 dB
– 10 m : 109 dB
– 15 m : 105 dB
– 20 m : 103 dB
– 30 m : 99 dB

USER MANUALS

Guide de l'utilisateur / User guide

⬇ Guide de l'utilisateur / User guide

Gebruikershandleiding

⬇ Gebruikershandleiding

Benutzerhandbuch

⬇ Benutzerhandbuch

Guía del usuario

⬇ Guía del usuario

DOWNLOADS

Aio presets

EXT speaker presets for Aio matrices (low impedance and 100 V) — ZIP.

⬇ Aio presets

EASE FILE



– Compatible with EASE 5 and EASE Focus 3

->.gll file

CE CERTIFICATE

Declaration of conformity

⬇ Français / English







