



EXT312

IP65 coaxial 12 + 1 inch 200 W/100 V and 300 W/8 Ohms
loudspeaker

- Compact, medium-range coaxial system
- IP65 with a minimum downward tilt of 5°
- 100 V or 8 Ohms operation



SKU: H11364

Categories: [Speakers](#), [Sound projectors](#)

Tags: [IP65](#)

FEATURES

- Power: 300W RMS – 600W max into 8 Ohms 50/100/200W into 100V
 - Boomer: 12 inch 3 inch coil
 - Tweeter: 1 x 1 inch 1.7 inch coil
 - Dispersion: 80° x 80° (HxV)
- Frequency response 55 – 18,000Hz
- SPL : 123 dB continuous, 129 dB max / 8 Ohms
- Connectors: Internal terminal block with cable glands
 - Aluminum grille, stainless steel screws
 - Dimensions: 407 x 410 x 448 mm
 - Net weight: 20 kg

SPL (significant values)

- 1 m : 129 dB
- 5 m : 115 dB
- 7 m : 112 dB
- 10 m : 109 dB
- 15 m : 105 dB
- 20 m : 103 dB
- 30 m : 99 dB

USER MANUALS

Notice FR| EN



DE leaflet



Notice NL



ES leaflet



EASE FILE



– Compatible with EASE 5 and EASE Focus 3

[->.gll file](#)

