

EXT415

15 + 1 inch coaxial IP65 loudspeaker 300 W/100 V and 400 W/8 Ohms

- Compact, medium-range coaxial system
- IP65 with a minimum downward tilt of 5°
- Works with 100 V or 8 Ohms

SKU: H11365
Categories: Speakers, Sound projectors
Tags: IP65

FEATURES

– Compact medium range coaxial system
– IP65 with a minimum 5° downward inclination
– Works with 100V or 8 Ohms
– Power : 400W RMS – 800W max under 8 Ohms 75/150/300 W under 100 V
– Boomer: 15 inch 3 inch coil
– Tweeter: 1 x 1.7 inch coil
– Dispersion: 80° x 80° (HxV)
– Frequency response 50 ~ 18 000Hz
– SPL : 129 dB continuous, 135 dB max / 8 Ohms
– Connectors: Internal terminal block with cable glands
– Aluminum grill, stainless steel screws
– Dimensions: 498 x 501 x 596 mm
– Net weight: 27,5 kg

SPL (significant values)
– 1 m : 130 dB
– 5 m : 116 dB
– 7 m : 113 dB
– 10 m : 110 dB

– 15 m : 106 dB
– 20 m : 104 dB
– 30 m : 100 dB

USER MANUALS

Guide de l'utilisateur / User guide

⬇ Guide de l'utilisateur / User guide

Gebruikershandleiding

⬇ Gebruikershandleiding

Benutzerhandbuch

⬇ Benutzerhandbuch

Guía del usuario

⬇ Guía del usuario

DOWNLOADS

Aio presets
EXT speaker presets for Aio matrices (low impedance and 100 V) — ZIP.

⬇ Aio presets

EASE FILE



– Compatible with EASE 5 and EASE Focus 3

->.gll file

CE CERTIFICATE

Declaration of conformity

⬇ Français / English







