



EXT415

15 + 1 inch coaxial IP65 loudspeaker 300 W/100 V and 400 W/8 Ohms

- Compact, medium-range coaxial system
- IP65 with a minimum downward tilt of 5°
- Works with 100 V or 8 Ohms



SKU: H11365

Categories: [Speakers](#), [Sound projectors](#)

Tags: [IP65](#)

FEATURES

- Compact medium range coaxial system
- IP65 with a minimum 5° downward inclination
 - Works with 100V or 8 Ohms
- Power : 400W RMS – 800W max under 8 Ohms 75/150/300 W under 100 V
 - Boomer: 15 inch 3 inch coil
 - Tweeter: 1 x 1.7 inch coil
 - Dispersion: 80° x 80° (HxV)
- Frequency response 50 ~ 18 000Hz
- SPL : 129 dB continuous, 135 dB max / 8 Ohms
- Connectors: Internal terminal block with cable glands
 - Aluminum grill, stainless steel screws
 - Dimensions: 498 x 501 x 596 mm
 - Net weight: 27,5 kg

SPL (significant values)

- 1 m : 130 dB
- 5 m : 116 dB
- 7 m : 113 dB
- 10 m : 110 dB

- 15 m : 106 dB
- 20 m : 104 dB
- 30 m : 100 dB

USER MANUALS

Notice FR | EN



Notice DE



Notice NL



Notice ES



EASE FILE



- Compatible with EASE 5 and EASE Focus 3

[->.gll file](#)

