



EXTLINE134W

Column IP56 4 x 4" + 1" - 130 W RMS - 100 V/ 8 ohms

- Robust, weatherproof column made entirely of aluminum
- High-quality components for a highly musical sound
- Operates on 100 V or 8 ohms



SKU: H11616

Categories: [Speakers](#), [Wall mount speakers](#)

Tags: [IP56](#)

FEATURES

- Operates at 100 V or 8 ohms
- Power: 130 W RMS at 8 ohms 30/60/120 W at 100 V
- Components: 4 4" Kevlar waterproof drivers and 1 1" compression driver
 - Dispersion (-6 dB): 100° x 50° (HxV)
 - Sensitivity (1 W/1 m): 94 dB
 - Frequency response: 120 – 18,000 Hz
 - SPL: 115 dB continuous, 121 dB max.
- Connectors: connectors with cable glands
- Aluminum body with aluminum grille and acoustic foam
 - ABS body with aluminum grille and acoustic foam
 - Silicone plugs and stainless steel screws
- Foam and textile protection against dust and splashes
- Degree of protection: IP56 (protection against dust and rain)
 - Dimensions: 704 x 127 x 144 mm
 - Net weight: 9 kg

SPL (significant values)

- 1 m : 121 dB
- 5 m : 107 dB
- 7 m : 104 dB

- 10 m : 101 dB
- 15 m : 97 dB
- 20 m : 95 dB
- 30 m : 91 dB

USER MANUALS

Notice FR | EN



Notice DE



Notice NL



Notice ES



EASE FILE



- Download EASE file

[-> EASE file \(.gll\)](#)

