

ONDE540B

5" + 1" speaker + Bass radiator 40 W 100 V and 8 Ohms - IP65

- Sturdy ABS construction
- Operates at 100 V or 8 Ohms
- IP65 splash-proof, head-down
- Supplied with hanging loop
- Rear bass reinforcement membrane

SKU: H11568
Categories: Speakers, Wall mount speakers
Tags: IP65, Onde

FEATURES

– Power: 40 W RMS – 80W max under 8 Ohms – 2.5/5/10/20 W under 100 V by selector
– Boomer: 5-inch graphite
– 1-inch silk dome motor
– Rear bass reinforcement diaphragm
– Frequency response 100 – 20,000 Hz
– SPL (@1m): 98 dB max
– Dispersion: 90×80° HxV
– Connectors: Euroblock
– ABS construction
– Dimensions: 270 x 170 x 168 mm
– Net weight: 3 kg

USER MANUALS

Guide de l'utilisateur / User guide

⬇ Guide de l'utilisateur / User guide

Gebruikershandleiding

⬇ Gebruikershandleiding

Benutzerhandbuch

⬇ Benutzerhandbuch

Guía del usuario


⬇ Guía del usuario

CE CERTIFICATE

Declaration of conformity

⬇ Français / English




270
188
170
258
100
90
168
120
156