



### SHP510

5" 70/100 V 2.5/10 W IP55 aluminum pendant speaker

Hanging loudspeaker with 13 cm driver.  
The cable is fitted with a sling for safe hanging.  
Enables sound reinforcement in places with no accessible ceiling, such as large areas.

- Ideal for high ceilings
- Concealed safety lanyard
- Easy installation
- IP55 (protection against dust and water jets)



---

**SKU:** H9758

**Categories:** [Sound projectors](#), [Speakers](#)

**Tags:** [IP55](#)

### FEATURES

- Hanging speaker
- RMS power: 10 W
- Max power: 18 W
- Available outputs: 2.5 W, 5 W or 10 W
  - 70/100 V
  - Speaker: 130 mm (5 inches)
- Frequency response: 150 Hz – 15 kHz
  - Sensitivity >90 dB
  - SPL max (@1m): 100 dB
  - Nominal coverage: ~140° (at 1 kHz)
- Construction: white aluminium body, white metal grille
  - Hook: sling integrated into the cable sheath
  - Internal cable gland connector
- IP55 protection degree (protection against dust and water jets)

- Dimensions: 138 x 205 mm
- Weight: 2.2 kg

#### USER MANUALS

Instructions EN



EN notice



Notice NL



DE leaflet



ES leaflet



