

SHP660

6.5" + 1/2" speaker 60 W/8 ohms, 100 V

The 3.5 m cable is fitted with a sling for safe suspension of the speaker.
Allows you to provide sound in places without accessible ceilings, such as large areas.

- Ideal for high ceilings
- Concealed safety lanyard
- Easy installation
- Coaxial loudspeaker
- Works with 100 V or 8 ohms
- IP20

SKU: H11623
Categories: Sound projectors, Speakers

FEATURES

– Hanging loudspeaker
– Max power: 60 W
– Available power ratings: 7.5/15/30/60 W at 100 V – 60 W at 8 ohms
– 70/100 V
– Speaker: 6.5" + 1/2"
– Frequency response: 90 Hz – 20 kHz
– Sensitivity: 89 dB (+/- 3 dB)
– Nominal coverage: ~120° (at 1 kHz)
– Construction: ABS body and aluminum grille
– Hook: 3.5 m cable with sling
– Connections: 2-wire
– Degree of protection IP20

– Dimensions: Ø 216 x 221 mm
– Weight: 3.12 kg

USER MANUALS

Guide de l'utilisateur / User guide

⬇ Guide de l'utilisateur / User guide

Gebruikershandleiding

⬇ Gebruikershandleiding

Benutzerhandbuch

⬇ Benutzerhandbuch


Guía del usuario

⬇ Guía del usuario

CE CERTIFICATE

Declaration of conformity

⬇ Français / English


65 mm
3.5 m
221 mm
216 mm